

HTML With Some JavaScript and CSS Embedded

```
<body>

  <script type="text/javascript" >

document.write(showDateTime());

</script>

<div id="fb-root"></div>

<script>(function(d, s, id) {

  var js, fjs = d.getElementsByTagName(s)[0];

  if (d.getElementById(id)) return;

  js = d.createElement(s); js.id = id;

  js.src = "//connect.facebook.net/en_US/sdk.js#xfbml=1&appId=684339424938272&version=v2.0";

  fjs.parentNode.insertBefore(js, fjs);

})(document, 'script', 'facebook-jssdk');</script>

<div id="header">

<a href="home.html" style="opacity:0.7;" onMouseOver="this.style.opacity='0.9'"
onmouseout="this.style.opacity='0.7'"></a>

</div>

<div id="navBar">

<button onclick="window.location.href='photographyForSale.html'" style="text-align:center; margin-
top:0.5%; margin-bottom:0.5%; margin-left:;border-left:thick solid silver; border-bottom:thick solid
silver;height:50px; cursor:pointer; background-color:black; color:silver; font-family:Arial, Helvetica, sans-
serif; font-size:14px; opacity:0.7; " onclick="this.style.color='white'"
onmouseover="this.style.opacity='1.0'"onmouseout="this.style.opacity='0.7'">Photography For Sale On
Etsy</button>
```

HTML With Some JavaScript and CSS Embedded

```
<button onclick="window.location.href='websiteExamples.html'" style="text-align:center; margin-bottom:0.5%; margin-left:0.5%;border-left:thick solid silver; border-bottom:thick solid silver;height:50px; cursor:pointer; background-color:black; color:silver; font-family:Arial, Helvetica, sans-serif; font-size:14px; opacity:0.7; " onmouseover="this.style.opacity='1.0'"onmouseout="this.style.opacity='0.7'">Website Examples</button>
```

```
<button onclick="window.location.href='applicationExamples.html'" style="text-align:center; margin-bottom:0.5%; margin-left:0.5%;border-left:thick solid silver; border-bottom:thick solid silver;height:50px; cursor:pointer; background-color:black; color:silver; font-family:Arial, Helvetica, sans-serif; font-size:14px; opacity:0.7; " onmouseover="this.style.opacity='1.0'"onmouseout="this.style.opacity='0.7'">Application Examples</button>
```

```
<button onclick="window.location.href='virtualTour.html'" style="text-align:center; margin-bottom:0.5%; margin-left:0.5%;border-left:thick solid silver; border-bottom:thick solid silver;height:50px; cursor:pointer; background-color:black; color:silver; font-family:Arial, Helvetica, sans-serif; font-size:14px; opacity:0.7; " onmouseover="this.style.opacity='1.0'"onmouseout="this.style.opacity='0.7'">Virtual Tours</button>
```

```
<button onclick="window.location.href='http://www.cafepress.com/tompkinsdesignllc'" style="text-align:center; margin-bottom:0.5%; margin-left:0.5%;border-left:thick solid silver; border-bottom:thick solid silver;height:50px; cursor:pointer; background-color:black; color:silver; font-family:Arial, Helvetica, sans-serif; font-size:14px; opacity:0.7; " onmouseover="this.style.opacity='1.0'"onmouseout="this.style.opacity='0.7'">Tompkins Design CafePress Shop</button>
```

```
</div>
```

```
<div id="left">
```

```
<div class="fb-like" data-href="https://www.facebook.com/pages/Tompkins-Design/250217228389273" data-layout="standard" data-action="like" data-show-faces="true" data-share="true"></div>
```

```
<p></br></p>
```

```
<h2><a href="websiteExamples.html">Website Design</a></h2></br>
```

HTML With Some JavaScript and CSS Embedded

```
<a href="websiteExamples.html" style="opacity:0.7;" onmouseover="this.style.opacity='0.9'"
onmouseout="this.style.opacity='0.7'"></a>
```

```
<p></br></p>
```

```
<h2><a href="applicationExamples.html">Application Design</a></h2></br>
```

```
<a href="applicationExamples.html" style="opacity:0.7;" onmouseover="this.style.opacity='0.9'"
onmouseout="this.style.opacity='0.7'"></a>
```

```
<p></br></p>
```

```
<script type='text/javascript' src='http://www.etsy.com/assets/js/etsy_mini_shop.js'></script><script
type='text/javascript'>new Etsy.Mini(7762946,'thumbnail',3,2,0,'http://www.etsy.com');</script>
```

```
</div>
```

```
<div id="right">
```

```
<!-- Place this tag where you want the widget to render. -->
```

```
<div class="g-page" data-width="180" data-href="//plus.google.com/u/0/101654269088409090054"
data-theme="dark" data-rel="publisher"></div>
```

```
<!-- Place this tag after the last widget tag. -->
```

```
<script type="text/javascript">
```

```
(function() {
```

```
var po = document.createElement('script'); po.type = 'text/javascript'; po.async = true;
```

```
po.src = 'https://apis.google.com/js/platform.js';
```

```
var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(po, s);
```

```
})();
```

```
</script>
```

```
<p></br></p>
```

```
<div id="cpi-s1-1002" class="cpi cpi-s1" tracking="undefined" color="black"
source="shop:Election2016USA" width="300" height="200">Make&nbsp;<a
href="http://www.cafepress.com/make/" title="Make Custom Gifts at CafePress">Custom
```

HTML With Some JavaScript and CSS Embedded

```
Gifts</a>&nbsp;at CafePress</div><script type="text/javascript"
src="http://content.cpcache.com/marketplace/widgets/javascripts/widget.js"></script>
```

```
</br>
```

```
<div id="ccpi-s1-1003" class="cpi cpi-s1" tracking="undefined" color="black" source="shop:ParkerHS"
width="300" height="200">Make&nbsp;<a href="http://www.cafepress.com/make/" title="Make
Custom Gifts at CafePress">Custom Gifts</a>&nbsp;at CafePress</div><script type="text/javascript"
src="http://content.cpcache.com/marketplace/widgets/javascripts/widget.js"></script>
```

```
</br>
```

```
<div id="cpi-s1-1004" class="cpi cpi-s1" affiliate="" tracking="DankNacho" color="black"
source="shop:DankNacho" width="300" height="200">Make&nbsp;<a
href="http://www.cafepress.com/make/" title="Make Custom Gifts at CafePress">Custom
Gifts</a>&nbsp;at CafePress</div><script type="text/javascript"
src="http://content.cpcache.com/marketplace/widgets/javascripts/widget.js"></script>
```

```
</div>
```

```
<div id="container">
```

```
<h4></br><a href="gallery.html">Graphically Designed Photography</h4></a>
```

```
<h4>
```

```
<object classid="clsid:d27c6b6e-ae6d-11cf-96b8-444553540000" width="45%" height="400" id="ss"
style="">
```

```
<param name="movie" value="ss.swf" />
```

```
<param name="quality" value="high" />
```

```
<param name="bgcolor" value="#101010" />
```

```
<param name="play" value="true" />
```

```
<param name="loop" value="true" />
```

```
<param name="wmode" value="window" />
```

```
<param name="scale" value="showall" />
```

HTML With Some JavaScript and CSS Embedded

```
<param name="menu" value="true" />
<param name="devicefont" value="false" />
<param name="salign" value="" />
<param name="allowScriptAccess" value="sameDomain" />
<!--[if !IE]>-->
</object>
<object type="application/x-shockwave-flash" data="ss.swf"
width="45%" height="400" style="">
    <param name="movie" value="ss.swf" />
    <param name="quality" value="high" />
    <param name="bgcolor" value="#101010" />
    <param name="play" value="true" />
    <param name="loop" value="true" />
    <param name="wmode" value="window" />
    <param name="scale" value="showall" />
    <param name="menu" value="true" />
    <param name="devicefont" value="false" />
    <param name="salign" value="" />
    <param name="allowScriptAccess" value="sameDomain" />
<!--<![endif]>-->
    <a href="http://www.adobe.com/go/getflash">
        
    </a>
<!--[if !IE]>-->
</object>
```

HTML With Some JavaScript and CSS Embedded

```
<!--<![endif]-->
```

```
</object>
```

```
</h4>
```

`<h1 style="width:50%; margin-left:13%;">`Tompkins Design LLC is in the business of creativity. My Name is Charles Reid I started this company as a way to get experience while attending college. I have developed multiple Websites, Windows Applications, and Android Applications but my main focus while in school was on graphically designed photography it is easier to manage and less time consuming. Over the past two years I have opened four online stores:`</br>`Etsy Store` `Tompkins Design Shop``Election 2016 USA Shop``Parker High School Shop`</br>`Now that I am graduating I am expanding the company to add more services to customers like affordable website design, graphic design, and online marketing. The service that I am looking forward to the most is Virtual Tours for realtors and home owners that are trying to get an edge up on the competition. After recently purchasing a house in Charleston, SC I found that a lot of the houses listed for sell had blurry photographs or no photographs at all. The listings that did have Virtual Tours were just the original pictures with some music added. Every house has something that makes it special and I believe that when you are selling a property you want potential buyers to also see what makes it a special place. I am hoping to start the Virtual Tour service over the next few months. I service mainly Low Country South Carolina but for certain jobs I am willing to travel all of South Carolina and parts of Georgia and North Carolina.

```
</br></br>Thanks for Visiting,</br>
```

```
Charles Reid</br>
```

```
Tompkins Design LLC
```

```
</h1>
```

```
<div id="footer" style="margin-top:2%;">
```

```
</br>
```

```
<h4 style="margin-right:25%;"><a href="contact.html" style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'" title="Contact Editor">Contact Charles Reid</a><a href="about.html" title="About Dank NachO" style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'">About Tompkins Design</a><a href="contact.html" title="About
```

HTML With Some JavaScript and CSS Embedded

```
Dank NachO" style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'"
onmouseout="this.style.opacity='0.7'">Copyright Information</a></h4>
```

```
<h3 style="margin-right:25%;">Tompkins Design LLC</br>~~OTIS@></h3>
```

```
</div>
```

```
</div>
```

```
</body>
```

HTML With Some JavaScript and CSS Embedded

```
<body>

<div id="fb-root"></div>

<script>(function(d, s, id) {

  var js, fjs = d.getElementsByTagName(s)[0];

  if (d.getElementById(id)) return;

  js = d.createElement(s); js.id = id;

  js.src = "//connect.facebook.net/en_US/all.js#xfbml=1&appId=684339424938272";

  fjs.parentNode.insertBefore(js, fjs);

})(document, 'script', 'facebook-jssdk');</script>

<a name= "top"></a>

<div id="header">

<button onclick="window.location.href='albums.html'" style="text-align:center; margin-top:0.5%;
border-left:thick solid silver; border-bottom:thick solid silver; float:right;height:50px; cursor:pointer;
background-color:black; color:silver; font-family:Arial, Helvetica, sans-serif; font-size:18px; opacity:0.7; "
onmouseover="this.style.opacity='1.0'"onmouseout="this.style.opacity='0.7'">Dank
Photography</button>

<button onclick="window.location.href='archive.html'" style="text-align:center; margin-top:0.5%;
border-right:thick solid silver; border-bottom:thick solid silver;float:left; height:50px; background-
color:black; color:silver; font-family:Arial, Helvetica, sans-serif; font-size:18px; opacity:0.7;
cursor:pointer; "onmouseover="this.style.opacity='1.0'"onmouseout="this.style.opacity='0.7'">Past
Daily Dankness</button>

<a href="home.html" style="margin-top:0.5%; margin-right:5%;"></a> </br>
```


HTML With Some JavaScript and CSS Embedded

<!-- Place this tag after the last widget tag. -->

```
<script type="text/javascript">
```

```
(function() {
```

```
    var po = document.createElement('script'); po.type = 'text/javascript'; po.async = true;
```

```
    po.src = 'https://apis.google.com/js/platform.js';
```

```
    var s = document.getElementsByTagName('script')[0]; s.parentNode.insertBefore(po, s);
```

```
})();
```

```
</script>
```

```
<p></br></p>
```

```
<p></br></p>
```

```
<a href="#" onclick="return popWin('http://www.youtube.com//user/chibbi2580484')"  
style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'"></a>
```

```
<p></br></p>
```

```
<p></br></p>
```

```
<iframe src="http://rcm-na.amazon-adsystem.com/e/cm?t=dank00-  
20&o=1&p=12&l=ur1&category=primeent&banner=1A76MP2PMTNSDYX9N7G2&f=ifr" width="300"  
height="250" scrolling="no" border="0" marginwidth="0" style="border:none;"  
frameborder="0"></iframe>
```

```
<p></br></p>
```

```
<p></br></p>
```

```
<a href="catfeed.html" style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'"  
onmouseout="this.style.opacity='0.7'"></a>
```

```
<p></br></p>
```

HTML With Some JavaScript and CSS Embedded

<p></br></p>

Tweets by @TMZ

```
<script>!function(d,s,id){var
js,fjs=d.getElementsByTagName(s)[0],p=/^http:/.test(d.location)?'http':'https';if(!d.getElementById(id)){j
s=d.createElement(s);js.id=id;js.src=p+"://platform.twitter.com/widgets.js";fjs.parentNode.insertBefore(
js,fjs);}}(document,"script","twitter-wjs");</script>
```

<p></br></p>

<p></br></p>

<!-- Begin clixGalore Code-->

<!-- End clixGalore Code-->

<p></br></p>

<p></br></p>

Tweets by @NBCNewsPictures

```
<script>!function(d,s,id){var
js,fjs=d.getElementsByTagName(s)[0],p=/^http:/.test(d.location)?'http':'https';if(!d.getElementById(id)){j
s=d.createElement(s);js.id=id;js.src=p+"://platform.twitter.com/widgets.js";fjs.parentNode.insertBefore(
js,fjs);}}(document,"script","twitter-wjs");</script>
```

<p></br></p>

<p></br></p>

HTML With Some JavaScript and CSS Embedded

```
<!-- Begin clixGalore Code-->
```

```
<A
```

```
href="http://www.clixGalore.com/Lead.aspx?BID=133828&AfID=269774&AdID=13571&LP=deardiary.m  
y">
```

```
</A>
```

```
<!-- End clixGalore Code-->
```

```
<p></br></p>
```

```
<p></br></p>
```

```
<iframe src="http://rcm-na.amazon-adsystem.com/e/cm?t=dank00-  
20&o=1&p=12&l=ur1&category=amazonmp3freesongsspecialdeals&banner=0CR771DMNNKH84WJGYR  
2&f=ifr" width="300" height="250" scrolling="no" border="0" marginwidth="0" style="border:none;"  
frameborder="0"></iframe>
```

```
<p></br></p>
```

```
<p></br></p>
```

```
<script type='text/javascript' src='http://www.etsy.com/assets/js/etsy_mini_shop.js'></script><script  
type='text/javascript'>new Etsy.Mini(7762946,'thumbnail',3,2,0,'http://www.etsy.com');</script>
```

```
<p></br></p>
```

```
<p></br></p>
```

```
<a href="#" onclick="return popWin('https://www.facebook.com/coverstorysc?ref=profile')"  
style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'"></a>
```

```
<p></br></p>
```

```
<p></br></p>
```

HTML With Some JavaScript and CSS Embedded

```
<script type='text/javascript' src='http://www.etsy.com/assets/js/etsy_mini_shop.js'></script><script type='text/javascript'>new Etsy.Mini(6852838,'thumbnail',3,2,0,'http://www.etsy.com');</script>
```

```
<p></br></p>
```

```
<p></br></p>
```

```
<a href="#" onclick="return popWin('https://www.facebook.com/Namelessandfamous?ref=profile')" style="opacity:0.7;" onmouseover="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'"></a>
```

```
<p></br></p>
```

```
<p></br></p>
```

```
<a href="#" onclick="return popWin('https://www.facebook.com/pages/Reid-Professional-Media/141248275921160')" style="opacity:0.7;" onmouseover="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'"></a>
```

```
<p></br></p>
```

```
<p></br></p>
```

```
</div>
```

```
<div id="container">
```

HTML With Some JavaScript and CSS Embedded

```
<a href="https://play.google.com/store/apps/details?id=com.danknacho.danknacho" style="float:left; margin-left:3%; margin-top:1%;">
```

```

```

```
</a>
```

```
<a href="https://play.google.com/store/apps/details?id=com.danknacho.danknacho" style="float:right; margin-top:1%;">
```

```

```

```
</a>
```

```
<h3>Daily Dank</h3>
```

```
<h1 style="margin-bottom:1%; margin-left:3%;">Dank Weekend</br>
```

```
<a href="archive.html" title="Previous Dank" style="color:#FF3300; text-align:center; margin-left:4%; font-size:10px;" style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'">Past Daily Dankness</a></h1>
```

```
<h1 style="border-bottom:thin solid silver; margin-bottom:1%;"></h1>
```

```
<h6>
```

```
<a href="#top" title="top">^</a></br></br>
```

```
<a href="#middle" title="middle">-</a></br></br>
```

```
<a href="#bottom" title="bottom">_</a>
```

```
</h6>
```

HTML With Some JavaScript and CSS Embedded

```
<!--#1-->
```

```
<h5 style="margin-top:2%;"><iframe width=70%" height="350px"
src="http://www.youtube.com/embed/Ga0cxqNq8AI" frameborder="0"; controls="0"; autoplay="1";
allowfullscreen; style="" ></iframe></br></h5>
```

```
<div class="respond-wrap" >
```

```
<div
```

```
id="respond" class="comment-respond">
```

```
<h1 id="reply-title" class="comment-reply-title">Comment <small><a
rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-1/#respond"
style="display:none;">Cancel reply</a></small>
```

```
<form
```

```
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post"
id="commentform" class="comment-form">
```

```
<p class="comment-notes"></p>
```

```
<div
```

```
class="form"><h1><textarea style="background-color:#404040; border:medium solid silver"
id="comment" class="expand50-100" name="comment" cols="25" rows="2"></textarea></div> <label
class="post-error" for="comment" id="commenttext_error"></label>
```

```
<span class="progress spinner-comment-new"></span>
```

```
<p class="form-submit">
```

```
<h1><input name="submit" type="submit"
```

```
style=" cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit"
value="Submit" /></h1>
```


HTML With Some JavaScript and CSS Embedded

```
value='26' id='comment_post_ID' />
<input type='hidden' name='comment_post_ID'
value='26' id='comment_post_ID' />
<input type='hidden' name='comment_parent' id='comment_parent' value='0' />
</p>
</form>
</div><!-- #respond -->
```

```
<!--#2-->
```

```
<h5><iframe width="70%" height="350px" src="http://www.youtube.com/embed/zMkJiKbtTZg"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; style="" ></iframe></br></h5>
```

```
<div class="respond-wrap2" >
<div
id="respond" class="comment-respond">
<h1 id="reply-title" class="comment-reply-title">Comment <small><a
rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-1/#respond"
style="display:none;">Cancel reply</a></small>
</form
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post"
id="commentform" class="comment-form">
```

HTML With Some JavaScript and CSS Embedded

```
<p class="comment-notes"></p>
```

```
<div  
class="form"><h1><textarea style="background-color:#404040; border:medium solid silver"  
id="comment" class="expand50-100" name="comment" cols="25" rows="2"></textarea></div> <label  
class="post-error" for="comment" id="commenttext_error"></label>  
  <span class="progress spinner-comment-new"></span>  
  <p class="form-submit">  
  
    <h1><input name="submit" type="submit"  
style=" cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit"  
value="Submit" /></h1>  
  
    <input type='hidden' name='comment_post_ID'  
value='25' id='comment_post_ID' />  
  
    <input type='hidden' name='comment_parent' id='comment_parent' value='0' />  
  
  </p>  
  
  </form>  
  
</div><!-- #respond -->
```

```
<!--#3-->
```

```
<h5><iframe width="70%" height="350px" src="http://www.youtube.com/embed/rS_q5A4bBak"  
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; style="" ></iframe></br></h5>
```

HTML With Some JavaScript and CSS Embedded

```
<div class="respond-wrap" >

                                                                    <div
id="respond" class="comment-respond">

        <h1 id="reply-title" class="comment-reply-title">Comment <small><a
rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-4/#respond"
style="display:none;">Cancel reply</a></small>

                                                                    <form
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post"
id="commentform" class="comment-form">

                <p class="comment-notes"></p>

                                                                    <div
class="form"><h1><textarea style="background-color:#404040; border:medium solid silver"
id="comment" class="expand50-100" name="comment" cols="25" rows="2"></textarea></div> <label
class="post-error" for="comment" id="commenttext_error"></label>
        <span class="progress spinner-comment-new"></span>
        <p class="form-submit">

                <h1><input name="submit" type="submit"
style=" cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit"
value="Submit" /></h1>

                <input type='hidden' name='comment_post_ID'
value='24' id='comment_post_ID' />

                <input type='hidden' name='comment_parent' id='comment_parent' value='0' />

        </p>

                                                                    </form>

        </div><!-- #respond -->

<!--#4-->
```


HTML With Some JavaScript and CSS Embedded

```
<a name= "middle"></a>
```

```
<!--#5-->
```

```
<h5><iframe width="70%" height="350px" src="http://www.youtube.com/embed/qdQts9i6wdl"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; style="" ></iframe></br></h5>
```

```
<div class="respond-wrap" >
```

```
<div
```

```
id="respond" class="comment-respond">
```

```
<h1 id="reply-title" class="comment-reply-title">Comment <small><a
rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-5/#respond"
style="display:none;">Cancel reply</a></small>
```

```
<form
```

```
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post"
id="commentform" class="comment-form">
```

```
<p class="comment-notes"></p>
```

```
<div
```

```
class="form"><h1><textarea style="background-color:#404040; border:medium solid silver"
id="comment" class="expand50-100" name="comment" cols="25" rows="2"></textarea></div> <label
class="post-error" for="comment" id="commenttext_error"></label>
<span class="progress spinner-comment-new"></span>
<p class="form-submit">
```

```
<h1><input name="submit" type="submit"
style=" cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit"
value="Submit" /></h1>
```

HTML With Some JavaScript and CSS Embedded

```
value='22' id='comment_post_ID' />
<input type='hidden' name='comment_post_ID'
value='22' id='comment_post_ID' />
<input type='hidden' name='comment_parent' id='comment_parent' value='0' />
</p>
</form>
</div><!-- #respond -->
```

```
<!--#6-->
```

```
<h5><iframe width="70%" height="350px" src="http://www.youtube.com/embed/ZJwvRfPyi8U"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; style="" ></iframe></br></h5>
```

```
<div class="respond-wrap" >
<div
id="respond" class="comment-respond">
<h1 id="reply-title" class="comment-reply-title">Comment <small><a
rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-6/#respond"
style="display:none;">Cancel reply</a></small>
</form
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post"
id="commentform" class="comment-form">
```

HTML With Some JavaScript and CSS Embedded

```
<p class="comment-notes"></p>
```

```
<div  
class="form"><h1><textarea style="background-color:#404040; border:medium solid silver"  
id="comment" class="expand50-100" name="comment" cols="25" rows="2"></textarea></div> <label  
class="post-error" for="comment" id="commenttext_error"></label>  
  <span class="progress spinner-comment-new"></span>  
  <p class="form-submit">  
  
    <h1><input name="submit" type="submit"  
style=" cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit"  
value="Submit" /></h1>  
  
    <input type='hidden' name='comment_post_ID'  
value='21' id='comment_post_ID' />  
  
    <input type='hidden' name='comment_parent' id='comment_parent' value='0' />  
  
  </p>  
  
  </form>  
  
</div><!-- #respond -->
```

```
<!--#7-->
```

```
<h5><iframe width="70%" height="350px" src="http://www.youtube.com/embed/4790DGoo16U"  
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; style="" ></iframe></br></h5>
```


HTML With Some JavaScript and CSS Embedded

```
<!--#8-->
```

```
<h5><iframe width="70%" height="350px" src="http://www.youtube.com/embed/pWXbAoHtPBk"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; style="" ></iframe></br></h5>
```

```
<div class="respond-wrap" >
```

```
<div
```

```
id="respond" class="comment-respond">
```

```
<h1 id="reply-title" class="comment-reply-title">Comment <small><a
rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-8/#respond"
style="display:none;">Cancel reply</a></small>
```

```
<form
```

```
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post"
id="commentform" class="comment-form">
```

```
<p class="comment-notes"></p>
```

```
<div
```

```
class="form"><h1><textarea style="background-color:#404040; border:medium solid silver"
id="comment" class="expand50-100" name="comment" cols="25" rows="2"></textarea></div> <label
class="post-error" for="comment" id="commenttext_error"></label>
<span class="progress spinner-comment-new"></span>
<p class="form-submit">
```

HTML With Some JavaScript and CSS Embedded

```
<h1><input name="submit" type="submit"
style=" cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit"
value="Submit" /></h1>
```

```
<input type='hidden' name='comment_post_ID'
value='19' id='comment_post_ID' />
```

```
<input type='hidden' name='comment_parent' id='comment_parent' value='0' />
```

```
</p>
```

```
</form>
```

```
</div><!-- #respond -->
```

```
<!--#9-->
```

```
<h5><iframe width="70%" height="350px" src="http://www.youtube.com/embed/HFIQlpC5_wY"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; style="" ></iframe></br></h5>
```

```
<div class="respond-wrap" >
```

```
<div
```

```
id="respond" class="comment-respond">
```

HTML With Some JavaScript and CSS Embedded

```
<h1 id="reply-title" class="comment-reply-title">Comment <small><a
rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-9/#respond"
style="display:none;">Cancel reply</a></small>
```

```
<form
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post"
id="commentform" class="comment-form">
```

```
<p class="comment-notes"></p>
```

```
<div
class="form"><h1><textarea style="background-color:#404040; border:medium solid silver"
id="comment" class="expand50-100" name="comment" cols="25" rows="2"></textarea></div> <label
class="post-error" for="comment" id="commenttext_error"></label>
<span class="progress spinner-comment-new"></span>
<p class="form-submit">
```

```
<h1><input name="submit" type="submit"
style=" cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit"
value="Submit" /></h1>
```

```
<input type='hidden' name='comment_post_ID'
value='16' id='comment_post_ID' />
```

```
<input type='hidden' name='comment_parent' id='comment_parent' value='0' />
```

```
</p>
```

```
</form>
```

```
</div><!-- #respond -->
```

```
<!--#10-->
```

```
<h5><iframe width="70%" height="350px" src="http://www.youtube.com/embed/riQTu_939MY"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; style="" ></iframe></br></h5>
```

```
<div class="respond-wrap" >
```

HTML With Some JavaScript and CSS Embedded

```
<div
id="respond" class="comment-respond">
    <h1 id="reply-title" class="comment-reply-title">Comment <small><a
rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-10/#respond"
style="display:none;">Cancel reply</a></small>
    <form
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post"
id="commentform" class="comment-form">
        <p class="comment-notes"></p>
    <div
class="form"><h1><textarea style="background-color:#404040; border:medium solid silver"
id="comment" class="expand50-100" name="comment" cols="25" rows="2"></textarea></div> <label
class="post-error" for="comment" id="commenttext_error"></label>
    <span class="progress spinner-comment-new"></span>
    <p class="form-submit">
        <h1><input name="submit" type="submit"
style=" cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit"
value="Submit" /></h1>
        <input type='hidden' name='comment_post_ID'
value='14' id='comment_post_ID' />
        <input type='hidden' name='comment_parent' id='comment_parent' value='0' />
    </p>
    </form>
</div><!-- #respond -->
</br>
<h2 style=""><a href="#bottom" onclick="return popWin('contact.html')"
style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'"
title="Contact Editor">Contact</a></h2>
<h2 style=""><a href="archive.html" title="Previous Dank"
style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'">Old
Dank</a></h2>
```

HTML With Some JavaScript and CSS Embedded

```
<h2 style=""><a href="#bottom"onclick="return popWin('about.html')" title="About Dank NachO" style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'">About</a></h2>
```

```
<h2 style=""><a href="#bottom"onclick="return popWin('copyright.html')" title="Copyright Information" style="opacity:0.7;"onMouseOver="this.style.opacity='0.9'" onmouseout="this.style.opacity='0.7'">Copyright</a></h2>
```

```
<a name="bottom"></a>
```

```
<div class="respond-wrap" >
```

```
<div
```

```
id="respond" class="comment-respond">
```

```
<h1 style="float:left;" id="reply-title" class="comment-reply-title"></br>Want To Get More Video Views<br>Submit Your Video Link<small><a rel="nofollow" id="cancel-comment-reply-link" href="/comments1/uncategorized/video-4/#respond" style="display:none;">Cancel reply</a></small>
```

```
<form
```

```
action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post" id="commentform" class="comment-form">
```

```
<p class="comment-notes"></p>
```

```
<div
```

```
class="form"><h1><textarea style="float:left; border:medium solid silver" id="comment" class="expand50-100" name="comment" cols="25" rows="1"></textarea></div> <label class="post-error" for="comment" id="commenttext_error"></label>
```

```
<span class="progress spinner-comment-new"></span>
```

```
<p class="form-submit">
```

```
<input name="submit" type="submit" style="margin-top:1%;cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit" value="Submit" /></h1>
```

```
<input type='hidden' name='comment_post_ID' value='28' id='comment_post_ID' />
```

```
<input type='hidden' name='comment_parent' id='comment_parent' value='0' />
```

HTML With Some JavaScript and CSS Embedded

</p>

</form>

</div><!-- #respond -->

<div

id="respond" class="comment-respond">

<h1 style="float:right;" id="reply-title" class="comment-reply-title"></br>Want To Get More Channel Subscribers</br>Submit Your Channel Link<small>Cancel reply</small>

<form

action="http://www.danknacho.com/comments1/wp-comments-post.php" method="post" id="commentform" class="comment-form">

<p class="comment-notes"></p>

<div

class="form"><h1><textarea style="float:right; border:medium solid silver" id="comment" class="expand50-100" name="comment" cols="25" rows="1"></textarea></div> <label class="post-error" for="comment" id="commenttext_error"></label>

<p class="form-submit">

<input name="submit" type="submit"

style="margin-top:1%; cursor:pointer;height:19px;background-color:black;color:#FF3300;" id="comment-submit" value="Submit" /></h1>

<input type='hidden' name='comment_post_ID'

value='29' id='comment_post_ID' />

<input type='hidden' name='comment_parent' id='comment_parent' value='0' />

</p>

HTML With Some JavaScript and CSS Embedded

</form>

</div><!-- #respond -->

<div id="footer"></br>

<h4>Tompkins Design LLC</br>~~OTIS@></br>^ ^</h4>

<script type="text/javascript" >

document.write(showDateTime());

</script>

</div>

</div>

</body>

HTML With Some JavaScript and CSS Embedded

```
<body onload="determineBackground()">
```

```
<div id="links">
```

```
<a href="#" onclick="return popWin('portfolio.htm')" >img src="portfolio.png"alt="portfolio"
width="10%" height="40px" style="padding-right: 0%;display: inline; padding-bottom: 0%; padding-left:
0%; padding-top: 0%; margin-right: 1%; "/></a>
```

```
<a href="#" onclick="return popWin('contact.htm')">img src="contact.png"alt="contact" width="10%"
height="40px" style="padding-right: 0%; display: inline ; padding-bottom: 0%; margin-right: 1%;"/></a>
```

```
<a href="#" onclick="return popWin('about.htm')" >img src="about.png"alt="about" width="10%"
height="40px" style="padding-right: 0%; padding-bottom: 0%; display: inline ; margin-right: 1%; "/></a>
```

```
<a href="http://www.scwebdesign.org/blog/2012/02/24/blog/#respond">img
src="blog.png"alt="twitter" width="10%" height="40px" style="padding-right: 0%; padding-bottom: 0%;
display:inline; margin-right: 1%;"/></a>
```

```
<a href="http://www.scwebdesign.org/blog/2012/02/24/comments/#respond">img
src="comments.png"alt="twitter" width="10%" height="40px" style="padding-right: 0%; padding-
bottom: 0%; display:inline; margin-right: 1%; "/></a>
```

```
<a href="#" onclick="return popWin('email.htm')" >img src="email.png"alt="email" width="10%,"
height="40px" style="padding-right: 0%; padding-left: 0%; padding-bottom: 0%; display:inline;margin-
right: 1%;"/></a>
```

```
</div>
```

```
<div id="header">
```

```

```

```
</div>
```


HTML With Some JavaScript and CSS Embedded

```
<div id="container">
```

```
<div id="left">
```

```
<h5>Friends of the show</h5>
```

```
<a href="http://www.youtube.com/user/scwebdesign"></a></br>
```

```
<iframe width="400px" height="270px" src="http://www.youtube.com/embed/H_zDOAQnPwU"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; ></iframe></br>
```

```
<a href="http://www.youtube.com/user/NamelessAndFamous"></a></br>
```

```
<iframe width="400px" height="270px" src="http://www.youtube.com/embed/hxTCnltl05Y"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; ></iframe></br>
```

```
<a href="http://www.facebook.com/pages/Reid-Professional-Media/141248275921160"></a></br>
```

```
<iframe width="400px" height="270px" src="http://www.youtube.com/embed/8qgXNzEMEUY"
frameborder="0"; controls="0"; autoplay="1"; allowfullscreen; ></iframe></br>
```

HTML With Some JavaScript and CSS Embedded

```
<a href="pics.htm"></a>
```

```
<a href="#"onclick="return popWin('apps.htm')" ></a>
```

```
</div>
```

```
<div id="main">
```

```
<h5>SC Social</h5>
```

```
<script charset="utf-8" src="http://widgets.twimg.com/j/2/widget.js"></script>
```

```
<script>
```

```
new TWTR.Widget({
```

```
  version: 2,
```

```
  type: 'profile',
```

```
  rpp: 6,
```

```
  interval: 30000,
```

```
  width: 400,
```

```
  height: 350,
```

```
  theme: {
```

```
    shell: {
```

```
      background: '#303030',
```

```
      color: '#ff3300'
```

```
    },
```

```
    tweets: {
```

```
      background: '#000000',
```

```
      color: '#ffffff',
```

HTML With Some JavaScript and CSS Embedded

```
links: '#00ff00'
}
},
features: {
  scrollbar: true,
  loop: false,
  live: false,
  behavior: 'all'
}
}).render().setUser('scwebdesign1').start();
</script>
```

```
<script
src="http://www.reddit.com/user/scwebdesign/submitted.embed?limit=5&sort=hot&bordercolor=303
030&bgcolor=181818&color=white&a:link=white&padding=5" type="text/javascript"></script>
```

```
<h4>Friend us on Facebook.</br>Follow us on Twitter</br>Join the circle on Google+</h4>
```

```
<h5>We specialize in simple yet sophisticated web sites for small businesses in and around Greenville,
SC. To get experience while attending school I will design basic sites for free for any nonprofit. Help me
help you help others.</br><a href="#" onclick="return popWin('about.htm')" style="color: purple; font-
style:italic;">More Information</a> </h5>
```

```
<h5>Serving Upstate South Carolina</h5>
```

```
<iframe width="325" height="250" padding-top="10px" border ="solid thick silver" frameborder="10"
scrolling="no" marginheight="2" marginwidth="0"
src="http://maps.google.com/maps?f=q&source=s_q&hl=en&geocode=&q=Greenvi
lle,+SC&aq=0&oq=gree&sll=37.0625,-
95.677068&sspn=46.677964,107.138672&ie=UTF8&hq=&hnear=Greenville,+South+
Carolina&t=h&z=12&ll=34.852618,-82.39401&output=embed"></iframe>
```

HTML With Some JavaScript and CSS Embedded

</div>

<div id="footer">

<h5>scwebdesign@hotmail.com</br>(864)214-6420</h5>

<script type="text/javascript" >

document.write(showDateTime());

</script>

</div> <!-- end container -->

</div> <!-- end footer -->

HTML With Some JavaScript and CSS Embedded

```
<a href="http://www.etsy.com/shop/auntjennievintage"></a>
```

```
</body>
```